

S/N 10/542,617

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Mikael Forslund	Examiner:	Dung Bui
Serial No.:	10/542,617	Group Art Unit:	1797
Filed:	December 28, 2005	Docket No.:	1876.137US1
Customer No.:	21186	Confirmation No.:	7333
Title:	Filter structure, filter panel comprising the filter structure and method for manufacturing the filter structure		

PETITION TO WITHDRAW FROM ISSUE UNDER 37 C.F.R. 1.313(c)

Mail Stop 313(c)
Commissioner for Patents
Office of Petitions
Madison West Building, 7th Floor
600 Dulany Street
Alexandria, VA 22313

The above-referenced patent application was allowed on December 29, 2008, and the Issue Fee was paid on March 27, 2009. Applicant respectfully requests that the above-identified patent application be withdrawn from Issue so that an Information Disclosure Statement may be submitted. Additionally, Applicant has enclosed a Request for Continued Examination transmittal and the requisite fee, which Applicant wishes to enter even date herewith.

Authorization is hereby given to charge the petition fee of \$130.00 as set forth in § 1.17(h) which is required pursuant to 37 C.F.R. § 1.313(a), to Deposit Account 19-0743. Please charge any additional fees or credit overpayment to Deposit Account 19-0743.

The Examiner is invited to contact the Applicants' Representative at the below-listed telephone number if there are any questions regarding this communication.

If necessary, please charge any additional fees or credit overpayment to Deposit Account 19-0743.

Respectfully submitted,

SCHWEGMAN, LUNDBERG & WOESSNER, P.A.
P.O. Box 2938
Minneapolis, MN 55402
(612) 359-3275

Date May 4, 2009

By Michael P. Horvath

Michael P. Horvath
Reg. No. 57,235

Name Dawn M. Bui

Signature Dawn M. Bui

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being filed using the USPTO's electronic filing system EFS-Web, and is addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on this 4th day of May, 2009.